

## Chapter 10 – REFERENCES

- [1] NATO AC/322(SC/6)L/125, Annex 2.
- [2] ERC Report 107: Current and Future Use of Frequencies in the LF-, MF- and HF-Bands; Interlaken, 2001.
- [3] ECC Report 24: PLT, DSL, Cable Communications (including cable TV), LANS and their effect on radio services; Cavtat, May 2003.
- [4] UK Radiocommunications Agency Technical Working Group (TWG(07)09rev4): Compatibility of VDSL&PLT with Radio Services in the Range 1.6 MHz to 30 MHz; Final Report, October 2002.
- [5] US And International Tables of Frequency Allocations (Rev.9/95); <http://www.csgnetwork.com/internatfreqtable.html>.
- [6] International Telecommunication Union, CCIR-Report 258-5: Man-made Radio Noise. Study Programme 29C/6, 1990.
- [7] K. Dostert and F. Weinmann: Universität Karlsruhe, Institut für Industrielle Informationstechnik: Ermittlung der Störwirkung von PLC im Fernfeld, 01.07.2002 – 30.06.2003; Investigation of the Interference Potential of PLC in the Far Field: Additional Studies for Verification of Results Obtained on Theoretical and Simulative Basis – Abstract of the Final Report, <http://www.bmwi.de/BMWi/Redaktion/PDF/B/br-plc-studie-enderbericht-english,property=pdf,bereich=bmwi,sprache=de,rwb=true.pdf>.
- [8] European Commission: Standardisation Mandate addressed to CEN, CENELEC and ETSI concerning electromagnetic compatibility (EMC), Telecommunications Networks; M/313, 07.08.2001.
- [9] ETSI/ERMEMC-JWG(03)09\_08: Electromagnetic Compatibility (EMC) – Product family emission standard for telecommunication networks, 30 May 2003, Document for Discussion.
- [10] CENELEC: CLC/prTS 50437 – Technical Specification “Electromagnetic emissions from access powerline communications networks”, Final Draft for vote, April 2004.
- [11] CENELEC: CLC/prTS 50217 – Technical Specification “Guide for in situ measurements – In situ measurement of disturbance emission”, Final Draft for vote, April 2004.
- [12] Regulatory Authority for Telecommunications and Posts, Bonn: Reg TP 322 MV 05 Part 1 – Specification for the Measurement of Disturbance Fields from Telecommunications Systems and Networks in the Frequency Range 9 kHz to 3 GHz. For application in accordance with paragraph (1) of Usage Provision No 30 (NB 30) as in the Frequency Band Allocation Ordinance (FreqBZPV) Part B: Usage Provisions; Issue October 2001, Reference Number: 501 322 005-2.
- [13] K.S. Kho: “Protection requirements for military HF radio services based on a generic sharing criteria for HF systems”, Proc. IEEE Int. Symp. On: Electromagnetic Compatibility, EMC 2003, May 2003.
- [14] U.S. Department of Commerce, National Telecommunications and Information Administration: NTIA Report 04-413, Potential Interference from Broadband over Power Line (BPL) Systems to Federal Government Radiocommunications at 1.7 – 80 MHz, April 2004.

## REFERENCES

---

- [15] ITU-Radiocommunication Study Groups – Document 1C/TEMP/18-E, Working Party 1C, Preliminary Draft New Recommendation, Question ITU-R 218/1: Techniques for measurement of radiation from high data rate telecommunication systems using electricity power supply or telephone distribution, 22 July 2002.
- [16] Rec. ITU-T G.992.3: “Asymmetric digital subscriber line transceivers 2 (ADSL2)”.
- [17] Rec. ITU-T G.992.5: “Asymmetrical Digital Subscriber Line (ADSL) transceivers-Extended bandwidth ADSL2 (ADSL2+)”.
- [18] American National Standard ANSI T1.424: “Very-high-bit-rate Digital Subscriber Lines (VDSL) Metallic Interface”.
- [19] FFI/RAPPORT-2003/02353: “Romvær – informasjon fra Internet til nytte for operative HF-brukere”, Bjørn Jacobsen, Vivianne Jodalen, and Bodil Farsund, Norwegian Defence Research Establishment. Information and links also available online at <http://www.mil.no/felles/ffi/hf/start/prediksjon/program/>. In Norwegian.
- [20] Rec. ITU-R P.533: “HF propagation prediction method”.
- [21] FFI/PUBLICATION-96/01107: “A study of observed and predicted HF propagation characteristics at high latitudes”, Vivianne Jodalen, Norwegian Defence Research Establishment.
- [22] Telecommunication Journal Vol.42 III/1975: “Some graphical considerations on Millington’s method for calculating field strength over inhomogenous earth”, Knut N. Stokke.
- [23] FOA-R Scientific report: “Detvag-90 – Final Report”, Borje Asp, Gunnar Eriksson and Peter Holm.
- [24] NTIA Report 82-114: “HF ground wave propagation over forested and built-up terrain”, D.A. Hill, December 1982.
- [25] ITU-R Report 879-1: “Methods for estimating effective electrical characteristics of the surface of the Earth”, 1990.
- [26] Cahier Technique Merlin Gerin n° 173: Earthing systems worldwide and evolutions, E/CT 173, first issued September 1995.
- [27] Plugtek Powerline Network eLibrary, January 13 2005.
- [28] Rec. ITU-R P.832-2: “World Atlas of Ground Conductivities”, 1999.
- [29] Rotheram: “Ground-wave propagation”, Marconi rev., 1982, pp. 18-48.
- [30] Rec. ITU-R P.368-7: “Ground-wave propagation curves for frequencies between 10 kHz and 30 MHz”, 1992.
- [31] Federal Communications Commission, FCC 04-245, Report and Order: In the Matter of Amendment of Part 15 regarding new requirements and measurement guidelines for Access Broadband over Power Line Systems, ET Docket No. 04-37, Carrier Current Systems, including Broadband over Power Line Systems, ET Docket No. 03-104, Released: October 28, 2004, and Erratum, Released: November 12, 2004.
- [32] T-Systems Technologiezentrum: C. Tudziers, B. Marx, P. Muggenthaler: “Abschlussbericht zum Projekt, Störpotenzial Netze”, Version 1.3, Stand 20.02.04.

- [33] M. Gebhardt, F. Weinman, K. Dostert: “Physical and Regulatory Constraints for Communication over the Power Supply Grid”, IEEE Communications Magazine, May 2003, pp. 84-90.
- [34] K. Dostert: “Powerline Communications”, ISBN 0-13-029342-3, Prentice Hall PTR, 2001.
- [35] Frank Sjöberg: “A VDSL Tutorial”, Luleå Tekniska Universitet, Research Report 2000:02, ISSN: 1402-1528, ISRN: LTU-FR--00/02—SE.
- [36] Rochester Public Utilities (RPU): BPL trial starting in July 2004, page 4, “July 13, 2004” (<http://www.rarchams.org/bpl.htm>).
- [37] “ADSL versus VDSL – The next big thing?”, White Paper, Quick Eagle Networks, September 2005.
- [38] G. Held: “Understanding Broadband over Power Line”, Auerbach Publications, 2006.
- [39] Ofcom: “Ascom PLT Measurements in Winchester”, UK, Publication date: 11 May 2005.
- [40] Ofcom: “Amperion PLT Measurements in Crieff”, UK, Publication date: 11 May 2005; Version 2, Publication date: 20 September 2005.
- [41] Ofcom: “DS2 PLT Measurements in Crieff”, UK, Publication date: 11 May 2005.
- [42] NATO AC/322(SC/6-AHWG/1)N(2005)0013: “RF Noise Measurements in The Netherlands”, 18 May 2005.
- [43] Heavy Reading, Vol. 3, No. 5, March 2005, “Next-Generation Broadband in Europe”, executive summary: [http://img.lightreading.com/heavyreading/pdf/hr20050317\\_esum.pdf](http://img.lightreading.com/heavyreading/pdf/hr20050317_esum.pdf).
- [44] CENELEC: “Draft prEN 50471 – Electromagnetic Compatibility (EMC) – Product family emission standard for wire-line telecommunication networks”, June 2005.
- [45] Official Journal of the European Union, L 93/42: “COMMISSION RECOMMENDATION of 6 April 2005 on broadband electronic communications through powerlines (2005/292/EC)”, 12.4.2005.
- [46] ITU Document 6E/254-E: “Australia – Preliminary Draft New Recommendation – Protection requirements of broadcasting systems against interference caused by wired telecommunication systems, using an electric power supply”, 19 September 2005.
- [47] M.K. Lee, R.E. Newman, H.A. Latchman, S. Katar, and L. Yonge: “HomePlug 1.0 powerline communication LANs – protocol description and performance results”, Int. J. Commun. Syst., **16**(5), June 2003, pp. 447-473.
- [48] H. Kaywan, Afkhamie, Srinivas Katar, Larry Yonge and Richard Newman: “An Overview of the upcoming HomePlug AV Standard”, Proc. 2005 Int. Symp. Power Line Communications and its applications, Victoria, BC, Canada, IEEE, April 2005, pp. 400-404.
- [49] Rec. ITU-T G.993.1: “Very high speed digital subscriber line”, 06/2004.
- [50] CENELEC/ETSI Joint Working Group on EMC of Conducted Transmission Networks: “Confirmed Minutes of the 16<sup>th</sup> Meeting of the JWG on 21 & 22 February 2006 at ETSI, Sophia Antipolis”, CLC/ETSI JWG17\_TD02r1, April 2006.
- [51] OPERA Specification – Part I: Technology, version 1.0, January 2006.

## REFERENCES

---

- [52] CENELEC/ETSI JWG(06)16\_09: “PLC interference; Report about measurements concerning power line communication systems (PLC), and harmful interference caused by PLC in the HF bands 2000 – 30000 kHz.”, 16 February 2006.
- [53] M. Pollakowski: Deutsche Telekom AG: “Elektromagnetische Verträglichkeit von VDSL”, Der Fernmelde-Ingenieur, 51. Jahrgang, 3/’97
- [54] K.S. Kho: “Protection Requirements for Military HF Radio Services based on a Generic Sharing Criteria for HF Systems”, CEPT/ERC PT SE35(01)106 Rev1, Helsinki, December 2001.
- [55] J. Stott, BBC R&D: “Protection of ‘sensitive’ receiving sites”, Paper for RA Working Group on HF Mains Signalling, JHS 21 October 1999, BBC R&D 1282C(99).
- [56] M. Schneider, P. Favre and M. Rubinstein: “EMC analysis of powerline systems”, Final report, May 2004, TCOM.
- [57] “Measured Skywave Radiation Characteristics of Low Voltage Distribution Networks Excited by PLC Systems Transmitting in the HF-Band (FAFIRA Report No 2)”, OFCOM (Switzerland) and ASCOM, CEPT/ERC PT SE35(01)22, London, January 2001.
- [58] “Measured Groundwave Radiation Characteristics of Low Voltage Distribution Networks Excited by PLC Systems Transmitting in the HF-Band (FAFIRA Report No 5)”, OFCOM (Switzerland) and ASCOM, CEPT/ERC PT SE35(01)24, London, January 2001.
- [59] J.-P. van Assche and J. Coenraads: “Information on radiating properties of mains networks”, CISPR/I/WG3 Red Bank meeting, February 2003.
- [60] D.M. Lauder and Y. Sun: “Radiated emission characteristics of communication systems using unshielded cables”, EMC York 99, Conf. Publ. No. 464, IEEE, 1999.
- [61] D.W. Welsh, I.D. Flintoft and A.D. Papatsoris: “Cumulative Effect Of Radiated Emissions From Metallic Data Distribution Systems On Radio Based Services”, York EMC services, Doc. No. R/00/026, Deliverable AY3525 for Radiocommunications Agency, May 2000.
- [62] JWG17\_TD03\_Draft CoP, Technical Report: “Broadband Electronic Communications through Powerlines: A Code of Practice Relating to the Standardisation of the Measurement of Emission, Data Collection and Reporting of Results”, Draft ETSI TR 102552 V0.0.3 (2004-mm), October 2006.
- [63] M. Zwingl and W. Reuter: “Proposed Notching Concept for PLC”, Austrian Amateur Radio Association / T-Systems, Deutsche Telekom Group Spectrum Management, 21 March 2006.
- [64] B. Wirth: “Regulation of PLC in Europe – The structure of European Telecommunications Regulation in general and PLC specific aspects”, 2006 IEEE ISPLC, March 26-29 2006, Orlando, Florida.
- [65] Mosshamer and Dunker: “Störfeldstärkeuntersuchungen an Zweidrahtleitungen und Netzen bis 30 MHz”, Berlin, October 2003.
- [66] “Draft minutes of the seventh SE35 meeting”, December 2001, CEPT/ERC PT SE35(01)144rev1.
- [67] “PowerLine Telecommunications (PLT); LCL review and statistical analysis”, ETSI TR 102 258 v1.1.1, 2003.

- [68] "PowerLine Telecommunications (PLT); EMI review and statistical analysis", ETSI TR 102 259 v1.1.1, 2003.
- [69] J. Schuurmans, TNO: "Report of injected common mode current measurements and field strength measurements in a mains supply network", JWG\_11(04)\_07, May 2004.
- [70] Ralf Vick: "Estimating the radiated emissions of domestic main wiring caused by power-line communication systems", February 2003 EMC Zürich Conference, pp. 87-92.
- [71] Diethard Hansen: "Review of EMC mains aspects in fast PLC including some history", Proc. IEEE Int. Symp. on Electromagnetic Compatibility, EMC 2003, pp. 184-192, May 2003.
- [72] Center for International Earth Science Information Network (CIESIN), Columbia University; and Centro Internacional de Agricultura Tropical (CIAT). 2005. Gridded Population of the World Version 3 (GPWv3): Population Grids. Palisades, NY: Socioeconomic Data and Applications Center (SEDAC), Columbia University. Available at <http://sedac.ciesin.columbia.edu/gpw>.
- [73] Ming Zhang and Wilfred Lauber: "Evaluation of the interference potential of PLC systems", Proc. IEEE Int. Symp. on Power Line Communications and its applications, ISPLC 2006, Orlando, FL, USA, pp. 296-301, March 2006.
- [74] Andreas Bluschke: "Zukunft der Breitbandkommunikation", NET 4/06, pp.45-47.
- [75] Naresh Kurada: "Technological Advances in DSL", IEEE Canadian Review, Fall 2005, pp. 6-8.
- [76] BPL Today, March 27, 2006, pp. 7-8.
- [77] BITKOM-Informationen zu Anwendungen der Powerline-Technologie, Stand März 2006.
- [78] BPL Today, April 11, 2006, p. 3.
- [79] Koos Fockens, VERON EMC Committee: "PLC Measurements", Date: 5/7/2002, The radio amateur and the effects of the use of the 230 Volt power line for broadband data communication (PLC).
- [80] Rec. ITU-R P.527-3: "Electrical Characteristics of the Surface of the Earth", 1992.
- [81] C.A. Balanis: "Antenna Theory-Analysis and Design", First Edition, Harper & Row, Publishers, New York, 1982.
- [82] E.C. Jordan: "Electromagnetic Waves and Radiating Systems", First Edition, Constable and Company, Ltd., London, 1953.
- [83] E.C. Jordan and K.G. Balmain: "Electromagnetic Waves and Radiating Systems", Second Edition, Prentice-Hall, Inc., 1968.
- [84] F. Weinmann and K. Dostert: "Cumulative effect of power line communication installations in the far field", Proc. Int. Wroclaw Symp. and Exh. on Electromagnetic Compatibility, EMC 2002.
- [85] International Telecommunication Union, CCIR-Report 322-2: Characteristics and Applications of Atmospheric Radio Noise Data; Geneva, 1983.
- [86] International Telecommunication Union, Recommendation ITU-R P.372-8: Radio noise, 2003.

## REFERENCES

---

- [87] International Journal of Electronics and Communications (AEÜ) 60 (2006) 208-216: “Verification of background noise in the short wave frequency range according to recommendation ITU-R p. 372”, F. Weinmann, K. Dostert, [www.elsevier.de/aeue](http://www.elsevier.de/aeue).
- [88] Bundesgesetzblatt Jahrgang 2004 Teil I Nr. 53, ausgegeben zu Bonn am 6. Oktober 2004: “Frequenzbereichszuweisungsplanverordnung (FreqBZPV) Vom 28. September 2004”, Teil B (Nutzungsbestimmungen), 30; pp. 2550-2551.
- [89] D. Welsh, A.D. Papatsoris, I.D. Flintoft and A.C. Marvin: “Investigation of the likely increases in established radio noise floor due to widespread deployment of PLT, ADSL and VDSL broadband access technologies”, 14th International Zurich Symposium and Technical Exhibition on EMC, Zurich, pp. 595-600, 20-22 February 2001.
- [90] FCC Part 15 regulations, updates and changes adopted and released by the Commission as of February 16, 2006.
- [91] CISPR/I/186/DC: “PT PLT: Limits and method of measurement of broadband telecommunication equipment over power lines”, 2006-03-17, International Electrotechnical Commission (IEC).
- [92] ETSI: “Draft ETSI EN 302 262 V1.1.1 (2005-2007) – Electromagnetic compatibility and Radio spectrum Matters (ERM); Product family emission standard for wire-line telecommunication networks”.
- [93] Rec. ITU-T G.993.2: “Very high speed digital subscriber line transceivers 2 (VDSL2)”, 02/2006.
- [94] Ed Hare: “Measurements and Calculations of BPL Emissions”, IEEE Int. Symp. On Electromagnetic Compatibility, EMC 2005, August 2005.
- [95] ETSI TR 102 175 V1.1.1 (2003-03), Technical Report: “Power Line Telecommunications (PLT): Channel characterization and measurement methods”.
- [96] G. Vos and J. Verpoorte: “Electromagnetic modeling of power line communications: Computation of the electric and magnetic fields radiated by power distribution networks”, NLR-CR-2-3-125, National Aerospace Laboratory NLR.
- [97] P. Amirshahi and M. Kavehrad: “Medium Voltage Overhead power-line broadband communications; Transmission capacity and electromagnetic interference”, Proc. 2005 Int. Symp. on Power Line Systems and Its Applications, pp. 2-6.
- [98] Robert G. Olsen: “Technical Overview of Broadband Powerline (BPL) Communication Systems”, IEEE Int. Symp. On Electromagnetic Compatibility, EMC 2005, August 2005.
- [99] Ed Hare: “EMC Factors Applicable to Broadband Over Power Line Systems”, IEEE Int. Symp. on Electromagnetic Compatibility, EMC 2005, August 2005.
- [100] Paul A. Brown and David Fenton: “Some Practical Measurements of Far Field Radiated Emissions from a PLT Cell and an Estimation of the Cumulative Ground-Wave Effects of PLT Deployment on a Sensitive HF Surveillance Site protected by a Non-Deployment Area of Radius 1500m”, CEPT/ERC PT SE35(01)117rev1, February 2002, White Box Solutions.
- [101] Hanspeter Widmer: “On The Global EMC Aspect of Broadband Power Line Communications Using the “HF” Frequency Band”, Proc. 2000 Int. Zurich Seminar on Broadband Communications, Zurich, Switzerland, February 2000, pp. 179-184.