

Chapter 8 – REFERENCES

- [1] H.A. Angel, L.J. Massel and P.G.S. Vilhena (2005) *Reconnaissance Information Transfer in Urban Operations. Contract Report*, DRDC Toronto CR 2005-044.
- [2] J. Bellingham, Y. Kuwata and J. How (2003) *Stable Receding Horizon Trajectory Control for Complex Environments*. In Proceedings of the AIAA Guidance, Navigation, and Control Conference, Austin, TX, USA, August 2003.
- [3] Y. Kuwata and J. How (2004) *Three Dimensional Receding Horizon Control for UAVs*. In AIAA Guidance, Navigation, and Control Conference, Providence, RI, USA, 16-19 August 2004.
- [4] A. Kurdila, M. Nechyba, R. Lind, P. Ifju, P. Binev, W. Dahmen, R. DeVore and R. Sharpley (2004) *Vision-Based Control of Micro-Air-Vehicles: Progress and Problems in Estimation*. 43rd IEEE Conference on Decision and Control, Paradise Island, Bahamas, December 2004, pp. 1636-1642.
- [5] R.C. Smith and P. Cheeseman (1986) *On the Representation and Estimation of Spatial Uncertainty*. The International Journal of Robotics Research 5 (4), pp. 56-68.
- [6] R.C. Smith, M. Self and P. Cheeseman (1986) *Estimating Uncertain Spatial Relationships in Robotics*. In Proceedings of the Second Annual Conference on Uncertainty in Artificial Intelligence. UAI '86. University of Pennsylvania, Philadelphia, PA, USA: Elsevier, pp. 435-461.
- [7] J.J. Leonard and H.F. Durrant-Whyte (1991) *Simultaneous map building and localization for an autonomous mobile robot*. Intelligent Robots and Systems' 91.'Intelligence for Mechanical Systems, Proceedings IROS'91. IEEE/RSJ International Workshop, pp. 1442-1447.
- [8] www.fujifilm.com/products/3d/camera.
- [9] O. Faugeras and Q.-T. Luong (2001) *The Geometry of Multiple Images*. MIT Press, Cambridge.
- [10] J.C. McGlone, E.M. Mikhail and J. Bethel (2004) *Manual of Photogrammetry*. American Society of Photogrammetry and Remote Sensing, 5th edition.
- [11] R. Hartley and A. Zisserman (2000) *Multiple View Geometry in Computer Vision*. Cambridge University Press, Cambridge.
- [12] B.T. Lucas and T. Kanade (1981) *An Iterative Image Registration Technique with an Application to Stereo Vision*. In Proc. of Image Understanding Workshop, pp. 212-130.
- [13] D.G. Lowe (2004) *Distinctive Image Features from Scale-Invariant Key-points*. In International Journal on Computer Vision (IJCV), Vol. 60, No. 2, pp. 91-110.
- [14] C. Beder and R. Steffen (2008) *Incremental estimation without specifying a-priori covariance matrices for the novel parameters*. In Proceedings of VLMP Workshop 2008, Anchorage, AK, USA, June 2008.
- [15] C.G. Harris and M.J. Stephens (1988) *A combined corner and edge detector*. In Proceedings of Fourth Alvey Vision Conference, pp, 147-151.
- [16] W. Förstner and E. Gülich (1987) *A Fast Operator for Detection and Precise Location of Distinct Points, Corners and Centres of Circular Features*. In ISPRS Intercommission Workshop, Interlaken, June 1987.

REFERENCES

- [17] H. Hirschmüller (2005) *Accurate and efficient stereo processing by semi-global matching and mutual information*. In Proceeding of Computer Vision and Pattern Recognition (CVPR) 2005, Volume 2, pp. 807-814, IEEE.
- [18] C. English, A. Deslauriers and I. Christie (2005) *The complementary nature of triangulation and ladar technologies*. In Laser radar technologies and applications X, 2005, Vol. 5791, pp. 29-41, SPIE.
- [19] M. Adams (2002) *Coaxial range measurement – current trends for mobile robotic applications*, IEEE Sensors Journal, Vol. 2, No. 1, pp. 2-13.
- [20] C.S. Fox (1996) *Active Electro-Optic Systems* (Volume 6). The Infrared and Electro-Optical Systems Handbook, SPIE Press.
- [21] Airborne lidar Sensors, GIM International, Vol. 23, No. 2, pp. 16-19, 2009.
- [22] <http://airbornehydro.com/HawkEyeII/hawkeyeII.html>.
- [23] <http://www.optech.ca/orion.htm>.
- [24] <http://rieglusa.com/products/airborne/lms-q680/index.shtml>.
- [25] <http://www.topsys.com>.
- [26] http://www.infoterra.co.uk/data_mob.php.
- [27] <http://www.velodyne.com.lidar>.
- [28] <http://www.sick.com>.
- [29] G. Pearson, K. Ridley and D. Willets (2005) *Chirp-pulse-compression three-dimensional lidar imager with fibre optics*, Applied Optics, Vol. 44, No. 2, pp. 257-265.
- [30] J. Anderson, J. Busek and H. Heisenberg (2005) *Long distance high accuracy 3-D laser radar and person identification*, SPIE Vol. 5791, pp. 9-16.
- [31] R. Marino et al. (2005) *High-resolution 3D imaging laser radar flight test experiments*, SPIE Vol. 5791, pp. 138-151.
- [32] R. Stettner et al. (2005) *Large format time-of-flight focal plane detector development*, SPIE Vol. 5791, pp. 288-292.
- [33] <http://www.advancescientificconcepts.com>.
- [34] R. Morrison et al. (2005) *Urban reconnaissance with an airborne laser radar*, SPIE Vol. 5791, pp. 1-8.
- [35] I. Baker, P. Thorne and J. Henderson, (2006) *Advanced multifunctional detectors for laser-gated imaging applications*, SPIE Vol. 6206, Paper 08, pp. 1-10.
- [36] I. Baker, D. Owton et al. (2008) *Advanced infrared detectors for multimode active and passive imaging applications*, SPIE Vol. 6940.
- [37] <http://www.engadget.com/photos/microsofts-project-natal-roots-revealed-3dv-systems>.
- [38] <http://www.xbox.com/kinect>.

- [39] P. Sévigny, D.J. DiFilippo, T. Laneve, B. Chan, J. Fournier, S. Roy, B. Ricard and J. Maheux (2010) *Concept of operation and preliminary experimental results of the DRDC through-wall SAR system*. SPIE Defence & Security, [7669-6].
- [40] B. Chan (2010) *Contourlet domain hidden Markov tree-based detection algorithm for DRDC through-wall synthetic aperture radar system (TWSAR) applications*. SPIE Defence & Security, Orlando, 5-9 April 2010 [7699-11].
- [41] C. Mallet and F. Bretar (2009) *Full-waveform topographic lidar: State-of-the-art*, ISPRS Journal of Photogrammetry and Remote Sensing 64, pp. 1-16.
- [42] C. Grönwall, O. Steinvall, F. Gustafsson and T. Chevalier (2007) *Influence of laser radar sensor parameters on range-measurement and shape fitting uncertainties*, Optical Engineering 46 (10), 106201, October 2007.
- [43] P.J. Besl and N.D. McKay (1992) *A method for registration of 3-D shapes*, IEEE Transactions on Pattern Analysis and Machine Intelligence, 14 (2), pp 239-256.
- [44] Y. Liu (2004) *Improving ICP with easy implementation for free-form surface matching*, Pattern Recognition, Vol. 37, No. 2, pp. 211-226.
- [45] P. Biber and W. Strasser (2003) *The normal distributions transform: A new approach to laser scan matching*, In Proceedings of the IEEE International Conference on Intelligent Robots and Systems IROS, Vol. 3, pp. 2743-2748.
- [46] M. Magnusson, A. Lilienthal and T. Duckett (2007) *Scan Registration for Autonomous Mining Vehicles Using 3D-NDT*, Journal of Field Robotics 24(10), 803-827.
- [47] G. Farin (2001) *Curves and Surfaces for CAGD*, Fifth Edition: A Practical Guide, Morgan Kaufmann Series.
- [48] J. Fournier, B. Ricard and D. Laurendeau (2007) *Mapping and exploration of complex environments using persistent 3D model*. In Conference on Computer and Robot Vision, pp. 403-410.
- [49] H. Zhao, S. Osher and R. Fedkiw (2001) *Fast Surface Reconstruction Using the Level Set Method*, in Proceedings of the IEEE Workshop on Variational and Level Set Methods in Computer Vision (VLSM 2001), July 2001.
- [50] H. Zhao and S. Osher (2002) *Visualization, analysis and shape reconstruction of unorganized data sets*, Contributed chapter in S. Osher and N. Paragios, Editors, Geometric Level Set Methods in Imaging, Vision and Graphics, Springer.
- [51] S.F. Frisken, R.N. Perry, A.P. Rockwood and T.R. Jones (2000) *Adaptively sampled distance fields: A general representation of shape for computer graphics*, Proc. 27th Annual Conference on Computer Graphics and Interactive Techniques, SIGGRAPH 2000, pp. 249-254.
- [52] Y.-H.R. Tsai, L.-T. Cheng, S. Osher, P. Burchard and G. Sapiro (2004) *Visibility and its dynamics in a PDE based implicit framework*, J. Computational Physics, **199** (2004), 260-290.
- [53] L. Rudin, P.L. Lions and S. Osher (2003) *Multiplicative denoising and deblurring: theory and algorithms*. In Geometric level set methods in imaging, vision, and graphics. Editors S. Osher and N. Paragios. Springer-Verlag, New York, USA, pp. 103-119.

REFERENCES

- [54] S. Osher and R. Fedwick (2003) *Level set methods and dynamic implicit surfaces*, Applied Mathematical Sciences **153**, Springer-Verlag, New York, USA.
- [55] M. Elmqvist (2002) *Ground surface estimation from airborne laser scanner data using active shape models*, The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Science, Vol. XXXIV, pp. 114-118, Part 3A, ISPRS Commission III Symposium, Graz.
- [56] G. Sithole and G. Vosselman (2004) *Experimental comparison of filter algorithms for bare-Earth extraction from airborne laser scanning point clouds*, ISPRS Journal of Photogrammetry & Remote Sensing **59**, pp. 85-101.
- [57] J. Shan and C.K. Toth (2008) *Topographic Laser Ranging and Scanning: Principles and Processing*, CRC Press, Boca Raton, FL, USA.
- [58] M. Brandin and R. Hamré (2003) *Classification of Ground Objects Using Laser Radar Data*, Master Thesis, Linköping University, Sweden.
- [59] G. Tolt, Å. Persson, J. Landgård and U. Söderman (2006) *Segmentation and classification of airborne laser scanner data for ground and building detection*, Proceedings of SPIE Defence and Security Symposium, Orlando, FL, USA, Vol. 6214, Laser Radar Technology and Applications XI.
- [60] J. Ruhe and J. Nordin (2007) *Classification of Points Acquired by Airborne Laser Systems*, Master Thesis, Linköping University, Sweden.
- [61] J. Canny (1986) *A computational approach to edge detection*. In Pattern Analysis and Machine Intelligence, IEEE Transactions on PAMI-8(6):679-698.
- [62] R.O. Duda and P.E. Hart (1972) *Use of the Hough Transformation to Detect Lines and Curves in Pictures*. In Communications of Association for Computing Machinery, 15(1):11-15.
- [63] C. Steger (1998) *An Unbiased Detector of Curvilinear Structures*. In IEEE Transactions on Pattern Analysis and Machine Intelligence, 20, 113-125.
- [64] R. Wallis (1976) *An approach to the space variant restoration and enhancement of images*. In Proceedings of Symposium on Current Mathematical Problems in Image Science, Naval Postgraduate School, Monterey, CA, USA.
- [65] P. Fua and Y. Leclerc (1990) *Model Driven Edge Detection*. In Machine Vision and Applications 3, pp. 45-56.
- [66] W. Neuenschwander, P. Fua, G. Székely and O. Kübler (1997) *Ziplock Snakes*. Int. J. Computer Vision 26, 191-201.
- [67] A.J. Bennett and D. Blacknell (2003) *The extraction of building dimensions from high resolution SAR imagery*. IEEE Proceedings of the International Radar Conference, pp. 182-187.
- [68] C.P. Moate and L. Denton (2006) *SAR image delineation of multiple targets in close proximity*. Proceedings of 6th European Conference on Synthetic Aperture Radar, VDE Verlag.
- [69] R.D. Hill, C.P. Moate and D. Blacknell (2006) *Urban scene analysis from SAR image sequences*. Proceedings of SPIE Algorithms for Synthetic Aperture Radar Imagery XIII, Vol. 6237.
- [70] M. Jahangir, D. Blacknell, C.P. Moate and R.D. Hill (2007) *Extracting information from shadows*. In SAR imagery. IEEE Proceedings of the International Conference on Machine Vision, pp. 107-112.

- [71] F. Xu and Y.Q. Jin (2007) *Automatic Reconstruction of Building Objects From Multiaspect Meter-Resolution SAR Images*. IEEE Transactions on Geoscience and Remote Sensing, Vol. 45, No. 7, pp. 2336-2353.
- [72] R. Bolter and F. Leberl (2000) *Detection and Reconstruction of Human Scale Features from High Resolution Interferometric SAR Data*. IEEE Proceedings of the International Conference on Pattern Recognition, pp. 291-294.
- [73] R. Bolter (2001) *Buildings from SAR: Detection and Reconstruction of Buildings from Multiple View High Resolution Interferometric SAR Data*. Dissertation, University of Graz, Austria.
- [74] U. Soergel (2003) *Iterative Verfahren zur Detektion und Rekonstruktion von Gebäuden in SAR- und InSAR-Daten*. Dissertation, Leibniz Universität Hannover, Germany.
- [75] A. Thiele, E. Cadario, K. Schulz, U. Thoennessen and U. Soergel (2007) *Building recognition from multi-aspect high resolution InSAR data in urban area*. IEEE Transactions on Geoscience and Remote Sensing, Vol. 45, No. 11, pp. 3583-3593.
- [76] A. Thiele, E. Cadario, K. Schulz, U. Thoennessen and U. Soergel (2007) *InSAR Phase Profiles at Building Locations*. Proceeding of ISPRS Photogrammetric Image Analysis, Vol. 36, Part 3/W49A, pp. 203-208.
- [77] A. Thiele, E. Cadario, K. Schulz and U. Soergel (2010) *Analysis of Gable-Roofed Building Signatures in Multi-Aspect InSAR Data*. IEEE Geoscience and Remote Sensing Letters, Vol. 7, No. 1, pp. 83-87.
- [78] R. Touzi, A. Lopes and P. Bousquet (1988) *A Statistical and Geometrical Edge Detector for SAR Images*. IEEE Transactions on Geoscience and Remote Sensing, Vol. 26, No. 6, pp. 764-773.
- [79] F. Tupin, H. Maitre, J.F. Mangin, J.M. Nicolas and E. Pechersky (1998) *Detection of Linear Features in SAR Images: Application to Road Network Extraction*. IEEE Transactions on Geoscience and Remote Sensing, Vol. 36, No. 2, pp. 434-453.
- [80] A. Thiele, J.D. Wegner and U. Soergel (2010) *Building Reconstruction from Multi-Aspect InSAR Data*. In: Soergel (Ed.) *Radar Remote Sensing of Urban Areas (Remote Sensing and Digital Image Processing)*, Springer, 1st Edition, ISBN: 978-9048137500, Chapter 8, pp. 187-214.
- [81] M. Schwaebisch and J. Moreira (1999) *The high resolution airborne interferometric SAR AeS-1*. Proceedings of the Fourth International Airborne Remote Sensing Conference and Exhibition, pp. 540-547.
- [82] H.F. Schuster and U. Weidner (2003) *A New Approach towards Quantitative Quality Evaluation of 3D Buildings Models*. In: J. Schiewe, M. Hahn, M. Madden and M. Sester (Eds), *Challenges in Geospatial Analysis, Integration and Visualization II*, ISPRS Workshop, Stuttgart.
- [83] A. Yu Bezhaev and V.A. Vasilenko (2001) *Variational Theory of Splines*, Kluwer Academic/Plenum Publishers, New York, USA.
- [84] C. de Boor (2001) *A Practical Guide to Splines*, Revised Edition, Applied Mathematical Sciences, 27, Springer-Verlag, New York, USA.
- [85] L.L. Schumaker (1981) *Spline Functions: Basic Theory*. Wiley-Interscience, New York, USA.
- [86] M. Garland and P.S. Heckbert (1998) *Simplifying surfaces with color and texture using quadratic error metrics*, Proc. IEEE Visualization, October 19-20 1998, pp. 287-295.

REFERENCES

- [87] J. Munkres (1999) *Topology*, 2nd Ed., Prentice Hall, NJ, USA.
- [88] J. Meidow and H.F. Schuster (2005) *Voxel-based Quality Evaluation of Photogrammetric Building Acquisitions*, ISPRS Workshop on Object Extraction for 3D City Models, Road Databases and Traffic Monitoring (CMRT05), pp. 117-124, Volume XXXXVI, Part 3/W24 of IAPRS.
- [89] J.E. Lavery (2006) *Human-goal-based metrics for models of urban and natural terrain and for approximation theory*, Proc. 25th Army Science Conf. (November 2006), Department of the Army, Washington, DC, USA, PO-01.
- [90] A. Petukhov (2002) *On approximation of generalized functions by convolutions in the Hausdorff metric*, East J. Approx. Th., 8, 59-94.
- [91] Bl. Sendov (1990) *Hausdorff approximations*. Translated and revised from the Russian 1979 edition. Mathematics and its Applications (East European Series), 50. Kluwer Academic Publishers Group, Dordrecht.
- [92] Bl. Sendov (1993) *Integral Hausdorff distance*, C.R. Acad. Bulgare Sci. **46** (1993), 21-24.
- [93] M. Gromov (1999) *Metric structures for Riemannian and non-Riemannian spaces*, Progress in Mathematics, Vol. 152, Birkhäuser Boston, Inc., Boston, USA.
- [94] Y. Rubner, C. Tomasi and L. Guibas (1998) *A Metric for Distributions with Applications to Image Databases*, Proceedings ICCV (1998), 59-66.
- [95] A. Thies, B. Philips, P. Binev, R.A. DeVore, M. Hielsberg, L.S. Johnson, B. Karaivanov, B.A. Lane and R.C. Sharpley (2005) *Smooth, Piecewise-Polynomial Terrain Representation Using Nontraditional Metrics*, STTR Final Report, Schafer Corporation Contract No. W911NF-04-C-0060, U.S. Army Research Office, March 2005.
- [96] P. Binev, W. Dahmen, R. DeVore and N. Dyn (2004) *Adaptive approximation of curves*, Approximation theory: a volume dedicated to Borislav Bojanov, 43-57, Prof. M. Drinov Acad. Publ. House, Sofia.
- [97] R.D. Richmond and B.J. Evans (2005) *Polarimetric Imaging Laser Radar (PILAR) Program*. In Advanced Sensory Payloads for UAV. Meeting Proceedings RTO-MP-SET-092, Paper 19, 19-1 – 19-14). Neuilly-sur-Seine, France, RTO. Available from: <http://www.rto.nato.int/abstracts.asp>.
- [98] P. Binev, A. Cohen, W. Dahmen, R. DeVore and V. Temlyakov (2005) *Universal algorithms for learning theory – Part I: piecewise constant functions*, Journal of Machine Learning Research **6**, 1297-1321.
- [99] B. Karaivanov (2010) *Self-Adjusting Region Growing (SARG)* In Point Clouds and Their Polygonization, IMI Pre-print.
- [100] International Society for Photogrammetry and Remote Sensing Commission III, Photogrammetric Computer Vision Working Group III / 3, *Processing of point clouds from laser scanners and other sensors*, 2004 – 2008, <http://www.itc.nl/isprswgIII-3>.
- [101] R.A. DeVore, D. Freeman, M. Hielsberg, L. Owens and G. Petrova (2010) *An Algorithm for Surface Approximation and Encoding From 3D Point Cloud Data*, Pre-print.
- [102] A. Waters, M. Narayan, R. Baraniuk and R. DeVore (2010) *Hausdorff-Based Tree Decomposition for Point Cloud Representation and Compression*, Pre-print.
- [103] <http://vterrain.org/>.